



MODWOOD

The Future of Decking



Silver Gum NGC - Tarlo River NSW

Why choose ModWood?

Looking for a decking material that surpasses timber and outperforms other competing wood plastic composites on the market? Look no further than ModWood.

For more than 20 years, ModWood has been crafting Wood Plastic Composite (WPC) decking for the Australasian market. ModWood is the No.1 WPC brand in Australia and New Zealand because its products are proven to withstand the test of time in New Zealand's unique southern hemisphere conditions, including extreme UV rays. ModWood is the first

New Zealand composite brand to achieve full CodeMark Certification, making it fully compliant with all aspects of the New Zealand Building Code. With a staggering "up to 90% recycled content" and a P5 or R11 commercial slip rating, ModWood won't twist, warp, or splinter, making it the decking of choice for now and the future.

Choose from two unique collections

Natural Grain Collection – NGC

The original ModWood



NGC COLOURS

Brushed Smooth




Silver Gum



Black Bean



Sahara



Jarrah

- Designed to age over time and lighten to achieve a more natural look.
- Choose between a brushed face for a more natural look or a smooth unbrushed face.
- Select from four beautiful colours and two finishes.

SIZE/LENGTH

	88		
Deck		23	5400 mm
	137		
Deck		23	5400 mm
	137		
Marina		32	4200 mm
	68		
Screening		17	4800 mm

FIXING OPTIONS



Hidden fixing system



Face fix



Hidden fixing system only

SUBFRAME OPTIONS





Traditional Timber



Modas Alu-Deck Framing



Proframe Aluminium



ModWood is designed to be used with KlewaKlip. Edge boards will need to be face fixed. A range of custom coloured screws are available.

Xtreme Guard Collection – XTG

The next generation ModWood



XTG COLOURS



Charwood



Magnetic Grey



Sandy Bay




Koko Brown



Fire Brick

- Designed to remain exactly the same as the day you lay it.
- Tough outer capped layer for enhanced fade, stain and scratch resistance.
- Choose from five great colours.



ModWood diverts thousands of tonnes of plastic and wood waste from going to landfill, making it an outstanding eco-building product



Why ModWood outperforms traditional timber decking


ModWood accurately replicates the appearance and texture of natural wood. Select from two styles or finishes and a range of nine attractive colours to complement any aesthetic.

ModWood is the No.1 composite brand in Australasia because it is proven to last the lifetime of the deck.

- Very fast to install = **Save \$\$\$**
- 100% long length = less than 5% wastage = **Save \$\$\$**
- No oiling/staining = Low maintenance = **Save \$\$\$**
- P5 or R11 Slip Resistance = Safe for kids/elderly and around pools



OUR RECYCLING JOURNEY



The real costs of maintaining a deck

Timber - clean/oil once per year

- **Cost of cleaner/oil or stain = approx \$5/sqm**
- **Cost of labour or your time = approx \$5/sqm**

50 sqm timber deck = approx \$500 per year

ModWood - 'clean only' once a year

- **Cost of cleaning materials = 50c per sqm**
- **Cost of labour or your time = \$1 per sqm**

50 sqm ModWood deck = approx \$75 per year.

Total savings over 15 years = \$\$\$ thousands \$\$\$

Check out the maintenance calculator on our website
www.modwood.co.nz

Join the movement to eco-conscious construction by choosing ModWood.

The first New Zealand WPC brand to achieve full Codemark Certification means this product has been independently certified to last the distance.

CodeMark CMNZ70070





ModWood Screening/Fencing

ModWood 68 x 17 screening mini-board is specifically designed as a fencing and screening product. It comes in 4.8 m lengths, allowing for a standard 0.8 m post span.*

- Available in four great colours
- Won't rot, twist, or warp
- Never have to paint

Specify ModWood for your next screening project and choose between timber or aluminium posts.

*Note: posts not included

Timber Subframe (T-20 Star Drive):

10 gauge x 60-65 mm Stainless Steel 304/305

10 gauge x 60-65 mm Stainless Steel 316

Aluminium Subframe

5 x 44 mm Spax Stainless Steel 304

Steel Subframe (T-20 Star Drive-can penetrate up to 4 mm wall thickness):

10 gauge x 40 mm Stainless Steel 410

Installation Guidelines

Scan here or see our website

www.modwood.co.nz



Scan QR code for
install video

Request Free Samples

Scan here to order

free samples



Scan QR code for
free samples

Quote for Supply and/or Install

Call OneStopDeckShop

(see below).

Or visit www.modwood.co.nz



Scan QR code for
supply/install quote

	RESIDENTIAL	HEAVY DUTY COMMERCIAL	COMMERCIAL	DECKING	XTREME GUARD	DECKING WIDE	MARINA BOARD	MINI BOARD SCREENING
DIMENSIONS				88 x 23 mm	137 x 23 mm	137 x 23 mm	137 x 32 mm	68 x 17 mm
Minimum ground clearance				300	150	300	300	150
Joist/support centres (max distance)				450***	450***	450***	600***	800
Minimum end-gap (butt join)				2	2	2	2	2
Minimum gap - side by side				4	4	4	6	8
Minimum distance from edge of board for fixing				20	20	20	20	20
Minimum end-gap to solid structure				6	6	6	6	6
Screws (pre-drill & countersink)				yes	yes**	yes	yes	yes
Suitability for fixing to steel substructures				see website	see website	see website	see website	see website
Fixing over concrete				see website	see website	see website	see website	see website
Standard length - approx. 10 to 15mm over length				5.4	5.4	5.4	4.2	4.8
Weight (per lineal metre) kgs				2.3	3.6	3.6	5.0	1.4

** Face fixing with screws to be kept to a minimum. *** Depending on concentrated load (kN) this may be reduced, contact ModWood directly for deflection calculation.

Available from:

ONE STOP DECK SHOP

Freecall: 0508 4 DECKS (0508 433 257)

www.onestopdeckshop.co.nz

Auckland | Christchurch | Wanaka

****We Deliver Nationwide****

ModWood, Xtreme Guard and Flame Shield are registered trademarks of Australian Vinyls Corporation Pty Ltd.

Note: All claims made in this brochure refer only to ModWood products mentioned in the brochure.

ModWood warranty will only apply to boards fixed as per the appropriate ModWood Fixing Instructions. July 2025

modwood.co.nz